



Document number: 2018 / 9C1-3469842-EN-04

---

## 2014/35/EU

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.  
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

**EN 62031:2008 + A1:2013 + A2:2015** LED modules for general lighting — Safety specifications

---

## 2009/125/EC and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.  
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

---

## 1194/2012 and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.  
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

---

## 2011/65/EU and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.  
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

**EN 50581:2012** Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances

---

## List of additional Standards the product is compliant to:


**IEC/TR 62778: 2014** Application of IEC 62471 for the assessment of blue light hazard to light sources and luminaires

**List of materials:**

- PL-LIN-Z4 550-XYX 140x20
- PL-LIN-Z4 1100-XYX 280x20 SF
- PL-LIN-Z4 1100-XYX 280x20
- PL-LIN-Z4 2000-XYX 280x20
- PL-LIN-Z4 2200-XYX 560x20 SF
- PL-LIN-Z4 2200-XYX 560x20
- PL-LIN-Z4 4000-XYX 560x20
- PL-LIN-Z4 4400-XYX 1120x20
- PL-LIN-Z4 5500-XYX 1400x20
- PL-LIN-Z4 650-XYX 280x33
- PL-LIN-Z4 1100-XYX 280x33
- PL-LIN-Z4 1300-XYX 560x33
- PL-LIN-Z4 2200-XYX 560x33
- PL-LIN-Z4-P 1100-XYX 280x18
- PL-LIN-Z4-P 2200-XYX 560x18
- PL-LIN-Z4-P 1100-XYX 280x20
- PL-LIN-Z4-P 2000-XYX 280x20
- 
- PL-LIN-Z4-P 2200-XYX 560x20
- PL-LIN-Z4-P 4000-XYX 560x20

**Model variations :**

e.g. PL-LIN-Z4 2200 - XYX 560x20 SF



**wiring of terminal** from bottom side

**dimensions of module**  
560 x 20 mm

**color temperature YY**  
e.g. 40 = 4000 K

**Ra index X**  
e.g. 8 = 80

**light flux (lm)**

LED module **Series**